SAFETY DATA SHEET

1. Identification

Product number REORDER # SO2200

Product identifier BURNISHINE SCREEN OPENER

Revision date 03-06-2014

Company information BURNISHINE

LAKE VILLA, IL 10595 United States

Company phone 1-800-818-8275 **Emergency telephone US** 1-866-836-8855 **Emergency telephone outside** 1-952-852-4646

HS

Version # 0.3

Supersedes date 10-09-2013 Recommended use Lubricant Recommended restrictions None known.

2. Hazard(s) identification

Physical hazards Flammable aerosols Category 1 **Health hazards** Acute toxicity, inhalation Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A

Not classified.

Carcinogenicity Category 2 Reproductive toxicity Category 1B

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Aspiration hazard Category 1

OSHA defined hazards

Label elements



Signal word Danger

Hazard statement Extremely flammable aerosol. May be fatal if swallowed and enters airways. Causes skin irritation.

Causes serious eye irritation. Harmful if inhaled. May cause respiratory irritation. Suspected of

causing cancer. May damage fertility or the unborn child.

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing gas. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center/doctor. If on skin: Wash with plenty of water. If Response

inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. Specific treatment (see this label). Do NOT induce vomiting. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical

advice/attention. Take off contaminated clothing and wash before reuse.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from

sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

Environmental hazards Hazardous to the aquatic environment, acute

Not classified.

Product #: 0940, 0940_957 Version #: 03 Revision date: 03-06-2014 Issue date: 10-09-2013

Product name: Instant Screen Opener

SDS US

Hazardous to the aquatic environment,

long-term hazard

Supplemental information

Hazard statement Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Prevention Avoid release to the environment.

Collect spillage. Response

Not applicable.

3. Composition/information on ingredients

Mixtures

Hazardous components

Chemical name	Common name and synonyms	CAS number	%
Butane		106-97-8	20 - 40
Solvent Naphtha (Petroleum), Light Aromatic		64742-95-6	20 - 40
1,2,3-Trimethylbenzene		95-63-6	10 - 20
Cyclohexanone		108-94-1	10 - 20
Propane		74-98-6	2.5 - 10
Xylenes		1330-20-7	1 - 2.5
Cumene		98-82-8	0.1 - 1

^{#:} This substance has workplace exposure limit(s).

Composition comments

The full text for all R-phrases is displayed in Section 16 of the MSDS.

4. First-aid measures

Eye contact

Ingestion

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Call a physician if symptoms develop or persist.

Skin contact Take off immediately all contaminated clothing. Wash off with soap and plenty of water. Get

medical attention if irritation develops and persists. Wash clothing separately before reuse. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

Category 2

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

Aspiration may cause pulmonary edema and pneumonitis. Skin irritation. Causes serious eye

irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Inhalation

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special of vapors is irritating to the respiratory system, may cause throat pain and cough. Treat symptomatically. Symptoms may be delayed.

treatment needed

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting Move containers from fire area if you can do so without risk. Containers should be cooled with equipment/instructions water to prevent vapor pressure build up.

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained.

Product #: 0940, 0940_957 Version #: 03 Revision date: 03-06-2014 Issue date: 10-09-2013

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the MSDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not handle or store near an open flame, heat or other sources of ignition. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not spray on a naked flame or any other incandescent material. Use only in well-ventilated areas. Provide adequate ventilation. Do not get in eyes, on skin, on clothing. Do not breathe gas/fumes/vapor/spray. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not re-use empty containers. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Keep out of the reach of children. Do not puncture, incinerate or crush. Keep away from heat, sparks and open flame. Store in a well-ventilated place. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the MSDS).

V-1...

25 ppm

1800 mg/m3 1000 ppm

8. Exposure controls/personal protection

Occupational exposure limits

US. USHA Table 2-1 Limits for Air	Contaminants (29 CFR 1910.1000)
Components	Type

Components	Туре	Value	
Cumene (CAS 98-82-8)	PEL	245 mg/m3	
		50 ppm	
Cyclohexanone (CAS 108-94-1)	PEL	200 mg/m3	
,		50 ppm	
Propane (CAS 74-98-6)	PEL	1800 mg/m3	
		1000 ppm	
Xylenes (CAS 1330-20-7)	PEL	435 mg/m3	
		100 ppm	
US. ACGIH Threshold Limit Value	9 S		
Components	Туре	Value	
Cumene (CAS 98-82-8)	TWA	50 ppm	
Cyclohexanone (CAS 108-94-1)	STEL	50 ppm	
,	TWA	20 ppm	
Xylenes (CAS 1330-20-7)	STEL	150 ppm	
	TWA	100 ppm	
US. NIOSH: Pocket Guide to Che	mical Hazards		
Components	Туре	Value	
1,2,3-Trimethylbenzene (CAS 95-63-6)	TWA	125 mg/m3	
,		25 ppm	
Butane (CAS 106-97-8)	TWA	1900 mg/m3	
		800 ppm	
Cumene (CAS 98-82-8)	TWA	245 mg/m3	
•		50 ppm	
Cyclohexanone (CAS	TWA	100 mg/m3	
100 04 4)		~	

Biological limit values

Propane (CAS 74-98-6)

108-94-1)

ACGIH Biological Expo Components	sure Indices Value	Determinant	Specimen	Sampling Time	
Cyclohexanone (CAS 108-94-1)	80 mg/l	1,2-Cyclohexan e diol, with hydrolysis	Urine	*	
	8 mg/l	Cyclohexanol, with hydrolysis	Urine	*	

Product name: Instant Screen Opener

TWA

ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time
Xylenes (CAS 1330-20-7)	1.5 g/g	Methylhippuric acids	Creatinine in urine	*

^{* -} For sampling details, please see the source document.

Exposure guidelines

US - California OELs: Skin designation

Cumene (CAS 98-82-8) Can be absorbed through the skin. Cyclohexanone (CAS 108-94-1) Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

Cumene (CAS 98-82-8) Skin designation applies. Cyclohexanone (CAS 108-94-1) Skin designation applies.

US - Tennesse OELs: Skin designation

Cumene (CAS 98-82-8) Can be absorbed through the skin. Cyclohexanone (CAS 108-94-1) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

Cyclohexanone (CAS 108-94-1) Can be absorbed through the skin.

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

Cumene (CAS 98-82-8) Can be absorbed through the skin. Can be absorbed through the skin. Cyclohexanone (CAS 108-94-1)

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Cumene (CAS 98-82-8) Can be absorbed through the skin.

Appropriate engineering controls

Explosion-proof general and local exhaust ventilation. Facilities storing or utilizing this material

should be equipped with an eyewash facility and a safety shower.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear protective gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene When using do not smoke. Always observe good personal hygiene measures, such as washing

considerations after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Color Colorless. **Form** Aerosol. Physical state Gas.

Boiling point 186.8 °F (86 °C) estimated

-156.00 °F (-104.44 °C) Propellant estimated Flash point

Melting point/freezing point Not available. Odor Characteristic.

Not applicable estimated pН

Solubility(ies) Not available. Vapor density Not available.

Vapor pressure 50 - 65 psig @70F estimated

Viscosity Not available.

Other information

Specific gravity 0.506 estimated

10. Stability and reactivity

Product name: Instant Screen Opener

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous No dangerous reaction known under conditions of normal use. Hazardous polymerization does not

reactions occur.

Product #: 0940, 0940_957 Version #: 03 Revision date: 03-06-2014 Issue date: 10-09-2013

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Contact with incompatible materials.

Fire or intense heat may cause violent rupture of packages.

Hazardous decomposition

products

Product

Hydrogen chloride. Other hazardous decomposition products may be formed.

11. Toxicological information

Information on likely routes of exposure

Ingestion Smallest quantities reaching the lungs through swallowing or subsequent vomiting may result in

lung edema or pneumonia.

Inhalation Harmful if inhaled. May cause irritation to the respiratory system.

Skin contact No adverse effects due to skin contact are expected.

Species

Eye contact Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

If aspirated into lungs during swallowing or vomiting, may cause chemical pneumonia, pulmonary injury or death. Skin irritation. Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Inhalation of vapors is irritating to the respiratory

Test Results

system, may cause throat pain and cough.

Information on toxicological effects

Acute toxicity Harmful if inhaled.

i ioaact	Opcoics	rest results
Instant Screen Opener (CAS	Mixture)	
Acute		
Dermal		
LD50	Rabbit	19362.7441 mg/kg, estimated
	Rat	2473 mg/kg
Inhalation		
LC50	Mouse	1793.0345 mg/l, 2 Hours, estimated
	Rat	15155.9551 mg/l, 15 Minutes, estimated
		12254.9023 mg/l, 48 Hours, estimated
		2927.0461 mg/l, 4 Hours, estimated
		13 mg/l/4h
Oral		- -
LD50	Rat	
		36.7647 g/kg, estimated
Components	Species	Test Results
1,2,3-Trimethylbenzene (CAS	95-63-6)	
Acute		
Dermal		
LD50	Rabbit	> 3160 mg/kg
Inhalation		
LC50	Rat	> 2000 mg/l, 48 Hours
Oral		
LD50	Rat	6 g/kg
Butane (CAS 106-97-8)		
Acute		
<i>Inhalation</i> LC50	Mouse	680 mg/l, 2 Hours
2000	Rat	658 mg/l, 4 Hours
Cumono (CAC 00 02 0)	rat	038 mg/i, 4 mours
Cumene (CAS 98-82-8) Acute		
Inhalation		
LC50	Mouse	2000 mg/l, 7 Hours
		24.7 mg/l, 2 Hours
	Rat	8000 mg/l, 4 Hours
Oral		ooo mga, a nouro
LD50	Rat	1400 mg/kg

Product name: Instant Screen Opener

SDS US

Components	Species	Test Results	
Propane (CAS 74-98-6)			
Acute			
Inhalation			
LC50	Rat	> 1442.847 mg/l, 15 Minutes	
		658 mg/l/4h	
Xylenes (CAS 1330-20-7)			
Acute			
Dermal			
LD50	Rabbit	> 43 g/kg	
Inhalation			
LC50	Mouse	3907 mg/l, 6 Hours	
	Rat	6350 mg/l, 4 Hours	
LCL0	Rat	8000 mg/l, 4 Hours	
Oral			
LD50	Mouse	1590 mg/kg	
	Rat	3523 - 8600 mg/kg	
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/eye irritation	Causes serious eye irritation.		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to cause	skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		

Carcinogenicity Suspected of causing cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

Cumene (CAS 98-82-8) 2B Possibly carcinogenic to humans.

Cyclohexanone (CAS 108-94-1)

Xylenes (CAS 1330-20-7)

3 Not classifiable as to carcinogenicity to humans.
3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Suspected of damaging fertility.

Specific target organ toxicity -

single exposure

May cause irritation to the respiratory system.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard May be fatal if swallowed and enters airways.

12. Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects.

Product		Species	Test Results
Instant Screen Opener (C	CAS Mixture)		
Algae	IC50	Algae	392 mg/L, 72 Hours
Crustacea	EC50	Daphnia	10.8358 mg/L, 48 Hours
Fish	LC50	Fish	17.1633 mg/L, 96 Hours
Components		Species	Test Results
1,2,3-Trimethylbenzene (CAS 95-63-6)		
Crustacea	EC50	Daphnia	6.14 mg/L, 48 Hours
Aquatic			
Fish	LC50	Fathead minnow (Pimephales promelas)	7.19 - 8.28 mg/l, 96 hours
Cumene (CAS 98-82-8)			
Algae	IC50	Algae	2.6 mg/L, 72 Hours
Crustacea	EC50	Daphnia	0.6 mg/L, 48 Hours
Aquatic			
Fish	LC50	Rainbow trout, donaldson trout (Oncorhynchus mykiss)	2.7 mg/l, 96 hours

Product name: Instant Screen Opener

SDS US

Components **Species Test Results**

Cyclohexanone (CAS 108-94-1)

Aquatic

Fathead minnow (Pimephales promelas) 481 - 578 mg/l, 96 hours Fish LC50

Solvent Naphtha (Petroleum), Light Aromatic (CAS 64742-95-6)

EC50 Daphnia 6.14 mg/L, 48 Hours Crustacea

Xylenes (CAS 1330-20-7)

Aquatic

Fish LC50 Bluegill (Lepomis macrochirus) 7.711 - 9.591 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available. Partition coefficient n-octanol / water (log Kow)

Cyclohexanone 0.81 Propane 2.36 **Butane** 2.89 **Xylenes** 3.12 - 3.2Cumene 3.66

Mobility in soil No data available.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

US RCRA Hazardous Waste U List: Reference

U055 Cumene (CAS 98-82-8) Cyclohexanone (CAS 108-94-1) U057 Xylenes (CAS 1330-20-7) U239

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

UN number UN1950

UN proper shipping name Aerosols, flammable

Transport hazard class(es) 2.1

Subsidiary class(es) Not available. Not available. Packing group

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Labels required None Special provisions N82 306 Packaging exceptions None Packaging non bulk Packaging bulk None

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.

IATA

UN1950 **UN** number

UN proper shipping name Aerosols, flammable

Transport hazard class(es) 2.1 Subsidiary class(es)

Not available. Packaging group

Yes **Environmental hazards** Labels required 2.1 **ERG Code** 10L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Packaging Exceptions LTD QTY

IMDG

UN number UN1950

UN proper shipping name AEROSOLS, MARINE POLLUTANT

Transport hazard class(es) 2.1 Subsidiary class(es) -

Packaging group Not available.

Environmental hazards

Marine pollutant Yes
Labels required None

EmS Not available.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Packaging Exceptions
Transport in bulk according to

LTD QTY
Not applicable.

Annex II of MARPOL 73/78 and the IBC Code

DOT



IATA; IMDG



Marine pollutant



15. Regulatory information

US federal regulationsThis product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Cumene (CAS 98-82-8)LISTEDCyclohexanone (CAS 108-94-1)LISTEDXylenes (CAS 1330-20-7)LISTED

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed

SARA 304 Emergency release notification

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No

SARA 302 Extremely

hazardous substance

SARA 311/312 Hazardous No

chemical

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Cumene (CAS 98-82-8) Xylenes (CAS 1330-20-7)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Butane (CAS 106-97-8) Propane (CAS 74-98-6)

Safe Drinking Water Act

Not regulated.

(SDWA)

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

Not listed.

Food and Drug Not regulated.

Administration (FDA)

US state regulations

US. New Jersey Worker and Community Right-to-Know Act

 1,2,3-Trimethylbenzene (CAS 95-63-6)
 500 lbs

 Butane (CAS 106-97-8)
 500 lbs

 Cumene (CAS 98-82-8)
 500 lbs

 Propane (CAS 74-98-6)
 500 lbs

 Xylenes (CAS 1330-20-7)
 500 lbs

Inventory name

US. Pennsylvania RTK - Hazardous Substances

1,2,3-Trimethylbenzene (CAS 95-63-6)

Butane (CAS 106-97-8) Cumene (CAS 98-82-8) Cyclohexanone (CAS 108-94-1) Propane (CAS 74-98-6)

Xylenes (CAS 1330-20-7)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

International Inventories

Country(s) or region

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

16. Other information, including date of preparation or last revision

 Issue date
 10-09-2013

 Revision date
 03-06-2014

Product name: Instant Screen Opener sps us

On inventory (yes/no)*

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Version # 03

Further information Not available.

Disclaimer The information in the sheet was written based on the best knowledge and experience currently

available. The information provided in this Safety Data Sheet is correct to the best of our

knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with

any other materials or in any process, unless specified in the text.

Revision Information First-aid measures: Most important symptoms/effects, acute and delayed

Fire-fighting measures: Specific methods

Exposure controls/personal protection: Exposure guidelines

Toxicological information: Symptoms related to the physical, chemical and toxicological

characteristics

Toxicological information: Further information

Toxicological information: Ingestion

Disposal considerations: Local disposal regulations Transport Information: Material Transportation Information

GHS: Classification

Product name: Instant Screen Opener

Product #: 0940, 0940_957 Version #: 03 Revision date: 03-06-2014 Issue date: 10-09-2013